REFERENCES

1. Abduelkarem,R.et.al.(2003). Views and Practices of Community Pharmacists regarding services for people with type 2 diabetes. International Journal of Pharmacy Practice,11:161-168.
2. Adepu,R. et.al. (2007). Effect of patient counselling on quality of life in type-2 diabetes mellitus patients in two selected South Indian community pharmacies: A study. Indian Journal of Pharmaceutical Sciences, 69(4):519-524.
3. Adepu, R. et.al.(2012). Development and evaluation of patient information leaflets (PIL) usefulness . Indian Journal of Pharmaceutical Sciences, 74(2):174-178.
4. Abraham,S., Ramachandran, A. (2012). Estimation of quality of life in haemodialysis patients. Indian Journal of Pharmaceutical Sciences,74(6):583-587.
5. Aghamollaei,T.(2003). Behavior, Metabolic Control and Health-related Quality of Life in Diabetic Patients at Bandar Abbas Diabetic Clinic.Iranian Journal of Public Health,32(3):54-59.
6. Bingi, T. C., Kumari,V.,(2015). A Study of Prevalence and Vitamin D Impact in Diabetics. International Journal of Scientific Research, 4(4): 295-298.
7. Bizu Girma, Habte Bruck Messele. (2016).Effect Of Medications-Related Beliefs On Adherence To Treatment Of Type Ii Diabetes Mellitus In A Primary Healthcare Setting, Addis Ababa, Ethiopia.International Journal of Pharmaceutical Sciences and Research, 7(1): 144-152.
8. Chiang.W., Chiu.F. et.al. (2006).Trends in the use of oral antidiabetic drugs by outpatients in Taiwan: 1997–2003. Journal of Clinical Pharmacy and Therapeutics, 31(1): 73–82.
9. Das, S., Haroled Peter, P.L., et.al. (2015). Age- and sex-related prevalence and drug utilization pattern in the management of type 2 diabetes mellitus and its comorbidity with cardiovascular diseases: A comparative study. Indian Journal of Pharmaceutical Sciences,77(4): 478-484.

10. Dudhane,B.D.,(2013). To Compare the Lipid Profile in Uncomplicated and Complicated TypeII Diabetes Mellitus (Niddm). International Journal of Scientific Research, 2(9): 302-303.
11. Halkoaho,A., Kavilo,M., Pietilä, A.M.(2007). Information technology supporting diabetes sel-care: a pilot study.European Diabetes Nursing,4(1):14–17.
12. Hossan,A. (2015). Knowledge and Attitude of Future Health Care Professionals towards Pain in Central Saudi Arabia.Indian Journal of Pharmacy Practice, 8(4):144-147.
13. Iwase,M., Asano,T.(2010). Withdrawal of pioglitazone in patients with type 2 diabetes mellitus. Journal of Clinical Pharmacy and Therapeutics, 35(4):401–408.
14. Kim.H, Kim H.S et.al. (2016).Comparing diabetic patient characteristics related to stated medication adherence in a rural vs. urban community in Korea. Journal of Clinical Pharmacy and Therapeutics,41(1):40–46.
15. Kodan,P., Jayakumar,J.(2014). Cognitive Impairment in Diabetes Mellitus – A Review. International Journal of Scientific Research, 3(1):336-338.
16. Krass,I. Hebing,R.(2011),Diabetes management in an Australian primary care population, Journal of Clinical Pharmacy and Therapeutics,36(6):664-672.
17. Lewis,H.,Kendall,M.J.(1988). Alcohol And Treatment Of Diabetes. Journal of Clinical Pharmacy and Therapeutics,13(5):321-328.
18. Liza,P. et.al.(2015). The influence of Pharmaceutical care to improve the knowledge and attitude client by self medication of non-steroidal anti inflammatory drug.International Journal of Pharmacy, 5(1): 87-92.
19. Lloyd,A.,Sawyer,W.,Hopkinson,P.(2001).Impact of long-term complications on quality of life in patients with type 2 diabetes not using insulin. Value in Health,4(5):392-400.
20. Makwana,P.,Mehta,A.(2013).Knowledge,Attitude and Practice Regarding Diabetes Mellitus in Diabetic and Non Diabetic Population. International Journal of Advanced Research,2(10):1-3.

21. Manju. C.S., Razak,R.(2016).Pharmacist intervention in medication adherence in patients with type ii diabetes mellitus. International Journal of Pharmaceutical Sciences and Research,7(1):358-362.
22. Maryam,H. et.al.(2015). Smartphone applications for improved pharmaceutical care., International Journal of Pharmaceutical Sciences and Research. 6(5): 1893-99.
23. Mehuys.E, Van Bortel.L.(2011) .Effectiveness of a community pharmacist intervention in diabetes care: a randomized controlled trial. Journal of Clinical Pharmacy and Therapeutics,36(5): 602–613.
24. Mohan,V.,Pradeepa,R.(2009).Epidemiology of diabetes in different Regions of India. Health Administrator,22(1): 1- 18.
25. Narayan,V.(2001).Prevention of type 2 diabetes-New study from Finland shows that lifestyle changes can be made to work. British Medical Journal,323(7304): 63–64.
26. Purohit,A.,Patel, T. (2013). Study of Type II Diabetes Mellitus in Gujarat University Campus. International Journal of Scientific Research, 2(4):370-372.
27. Radha,R., Amirthaveni,M. (2013). Life Style Pattern of the Selected Diabetics. International Journal of Scientific Research,2(6): 314-315.
28. Reddy,M.V.S., Kielgast,P.(2016). Role of Pharmacists in National Public Health Programs in India: A Survey on Pharmacy Students' Perceived Knowledge and Attitude. **Indian Journal of Pharmaceutical Education and Research,** 50(1):51-62.
29. Ruby,E.G.et.al.(2001). Impact of pharmaceutical care model for non-institutionalised elderly:results of a randomized controlled trial.The International Journal of Pharmcy Practice,9(4):235-241

30. Suhaj A., Manu,M.K. et.al.(2016). Effectiveness of clinical pharmacist intervention on health-related quality of life in chronic obstructive pulmonary disorder patients – a randomized controlled study. Journal of Clinical Pharmacy and Therapeutics,41(1):78-83.
31. Schneider,J.et.al.(2006). Improving the safety of medication administration using an interactive Cd –ROM program. American Journal of Health System Pharmacy,63(1):59-63.
32. Tasić,L., Kocić,P.V. (2016).Identification of Risk Factors for Diabetes Type 2 and Components of Pharmacists' Interventions in Community Pharmacy Setting: A Serbian Pilot Study**. Indian Journal of Pharmaceutical Education and Research**, 50(1):90-102.
33. Taylor,S.J.et.al.(2005). A cost effectiveness analysis of a community pharmacist initiated disease state management service for type 2 diabetes mellitus. International Journal of Pharmacy Practice,13(1):33-40.
34. Triller,D.M.,Hamilton,R.A.(2007). Effect of pharmaceutical services on outcomes for home care patients with heart failure. American Journal of Health System Pharmacy,64(21):2244-2251.
35. Vaidhun,B.H., Sathish, A.(2015). Out-patients prescriptions are safe from drug interactions or not: A pilot study report. Indian Journal of Pharmaceutical Sciences, 73(5): 590-592.
36. Venkat,K.(2000).Diabetes-a common growing serious and potentially preventable public health problem. Diabetes Research and Clinical Practice,50:77-84.
37. Yap,W.S., Peterson,G.M.(1998). Review of management of type 2 diabetes mellitus. Journal of Clinical Pharmacy and Therapeutics, 23(6): 457–465.
38. Zaman,G. S.(2014). Does the type of diet influence Diabetes Mellitus Type 2, Hypertension and Cardiovascular Diseases. International Journal of Scientific Research, 3(10):26-28.